10/19/2004 dfabrisns&l.xls

| STATE AND LOCAL SOILS List - BRISTOL COUNTY, NORTH PART, Massachusetts | | | | | | |
|--|---------------------|---|-------------|------|---------------|-------|
| SEPTEM | BER, 2002 - Natu | ral Resources Conservation Service | | | | |
| | | | | | | |
| | | | | | | |
| For map units where two or r | more components a | are named, the unit's rating | | | | |
| is based on the most limiting component. | | | | | | |
| State and Local - units that an | re one to two facto | rs from the prime soils list. cap.: capability class sub- | c: subclass | | | |
| w: wet e: erodible s: shallo | ow, stony, or droug | thty Class 1 has very few limitations for agricultur | re. | | | |
| | | | | | | |
| | | | | | | |
| Publ. Sym. | Slp Rnge (%) | Map Unit Name | cap. cls | subc | State Symbol | Acres |
| СрВ | 0 to 8 | Charlton-Paxton very stony fine sandy loam | 6 | S | 413B | 6168 |
| СрС | 8 to 15 | Charlton-Paxton very stony fine sandy loam | 6 | S | 413C | 894 |
| De | 0 to 3 | Deerfield loamy sand | 3 | W | 256A | 6902 |
| HfA | 0 to 3 | Hinckley sandy loam | 3 | S | 245A | 4019 |
| HfB | 3 to 8 | Hinckley sandy loam | 3 | S | 245B | 16069 |
| MeC | 8 to 15 | Merrimac fine sandy loam | 3 | e | 254C | 210 |
| PaC | 8 to 15 | Paxton fine sandy loam | 3 | e | 305C | 403 |
| PbB | 0 to 8 | Paxton fine sandy loam, very stony | 6 | S | 306B | 11119 |
| PbC | 8 to 15 | Paxton fine sandy loam, very stony | 6 | S | 306C | 1313 |
| WnA | 0 to 3 | Windsor loamy sand | 3 | S | 255A | 4969 |
| WnB | 3 to 8 | Windsor loamy sand | 3 | S | 255B | 9491 |
| WsB | 0 to 8 | Woodbridge fine sandy loam, very stony | 6 | S | 311B | 5095 |
| | | | | | Total Acres = | 66652 |
| | | A slope = $0 - 3$ % slope, unless otherwise noted | | | | |
| | | B slope = 3 - 8 % | | | | |
| | | C slope = 8 - 15 % | | | | |
| | | D slope = 15 - 25 % | | | | |
| | | E slope = 25 - 45 % | | | <u> </u> | |